

Dr. Linda R. Coney

225 VanderWerf Hall, Hope College
Holland, Michigan 49422-9000
Phone: (616) 395-7507, (630) 740-6704
Email: coney@hope.edu

Publications in Refereed Journals:

- “Measurement of the production cross-section of positive pions in p - Al collisions at 12.9 GeV/c”, M. G. Catanesi *et al.*(HARP Collaboration), Nuclear Physics B **732**, (2006).
- “The HARP Detector at the CERN PS”, M. G. Catanesi *et al.*(HARP Collaboration), Nuclear Instrum. Methods Phys. Res. A, (2006).
- “Observation of diffractively produced W and Z bosons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV”, V. M. Abazov *et al.*, Phys. Lett. B **574**, 169 (2003); hep-ex/0308032, FERMILAB-PUB-03-233-E.
- “Hard Single Diffraction in $p\bar{p}$ Collisions at $\sqrt{s} = 630$ and 1800 GeV”, B. Abbott *et al.*, Phys. Lett. B **531**, 52 (2002); FERMILAB-Pub-99/373-E; hep-ex/9912061.
- “The ratio of jet cross sections at $\sqrt{s}=630$ and 1800 GeV”, B. Abbott *et al.*, Phys. Rev. Lett. **86**, 2523 (2001); FERMILAB-Pub-00/213-E, hep-ex/0008072.
- “Extraction of the width of the W boson from measurements of $\sigma(p\bar{p} \rightarrow W + X) \times \text{Br}(W \rightarrow e\nu)$ and $\sigma(p\bar{p} \rightarrow Z + X) \times \text{Br}(Z \rightarrow ee)$ and their ratio”, B. Abbott *et al.*, Phys. Rev. D **61**, 072001 (2000); FERMILAB-Pub-99/171-E; hep-ex/9906025.
- “The Inclusive Jet Cross Section in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. Lett. **82**, 2451 (1999); FERMILAB-Pub-98/207-E; hep-ex/9807018.
- “Determination of the Absolute Jet Energy Scale in the DØ Calorimeters”, B. Abbott *et al.*, Nucl. Instrum. Methods Phys. Res. A**424**, 352 (1999); FERMILAB-Pub-97/330-E; hep-ex/9805009.
- “Probing hard color-singlet exchange in $\bar{p}p$ collisions at $\sqrt{s}=630$ GeV and 1800 GeV.”, B. Abbott *et al.*, Phys. Lett. B **440**, 189 (1998); FERMILAB-Pub-98/285-E; hep-ex/9809016.
- “Search for 3- and 4-Body Decays of the Scalar Top Quark in Proton- Antiproton Collisions at $\sqrt{s} = 1.8$ TeV”, V. M. Abazov *et al.*, Phys. Lett. B **581**, 144 (2004); FERMILAB-PUB-03-306-E.
- “Multiple jet production at low transverse energies in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV”, V. M. Abazov *et al.*, Phys. Rev. D **67**, 052001 (2003); FERMILAB-Pub-02/153-E, hep-ex/0207046.
- “Search for large extra dimensions in the monojet + E_T channel with the DØ detector”, V. M. Abazov *et al.*, Phys. Rev. Lett. **90**, 251802 (2003); hep-ex/030214.

- “ $t\bar{t}$ production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV”, V. M. Abazov *et al.*, Phys. Rev. D **67**, 012004 (2003); hep-ex/0205019.
- “Subjet multiplicity of gluon and quark jets reconstructed with the k_\perp algorithm in $p\bar{p}$ collisions”, V. M. Abazov *et al.*, Phys. Rev. D **65**, 052008 (2002); FERMILAB-Pub-01/248-E; hep-ex/010854.
- “The inclusive jet cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV using the k_\perp algorithm”, V. M. Abazov *et al.*, Phys. Lett. B **525**, 211 (2002); FERMILAB-Pub-01/290; hep-ex/019041.
- “Search for R-parity violating supersymmetry in two-muon and four-Jet Channel”, V. M. Abazov *et al.*, Phys. Rev. Lett. **89**, 171801 (2002), FERMILAB-Pub-01/352-E; hep-ex/0111053.
- “Search for Leptoquark Pairs Decaying to $\nu\nu +$ jets in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV”, V. M. Abazov *et al.*, Phys. Rev. Lett. **88**, 191801 (2002); FERMILAB-Pub-01/349-E; hep-ex/0111047.
- “A direct measurement of the W boson width”, V. M. Abazov *et al.*, Phys. Rev. D **66**, 032008 (2002); FERMILAB-Pub-02/063-E, hep-ex/0204009.
- “Improved W boson mass measurement with the DØ detector”, V. M. Abazov *et al.*, Phys. Rev. D **66**, 012001 (2002); FERMILAB-Pub-02/055-E, hep-ex/0204014.
- “Search for minimal supergravity in single electron events with jets and large missing transverse energy in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV, V. M. Abazov *et al.*, Phys. Rev. D **66**, 112001 (2002); FERMILAB-Pub-02/074-E, hep-ex/0205002.
- “Search for production of single sleptons through R-Parity violation in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV”, V. M. Abazov *et al.*, Phys. Rev. Lett **89**, 261801 (2002); hep-ex/0207100.
- “A search for the scalar top quark in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV”, V. M. Abazov *et al.*, Phys. Rev. Lett. **88**, 171802 (2002); FERMILAB-Pub-01/233-E, hep-ex/0108018.
- “Direct Search for Charged Higgs Bosons in Decays of Top Quarks”, V. M. Abazov *et al.*, Phys. Rev. Lett. **88**, 151803 (2002); FERMILAB-Pub-01/022-E; hep-ex/0102039.
- “Search for Large Extra Dimensions in Dielectron and Diphoton Production”, B. Abbott *et al.*, Phys. Rev. Lett. **86**, 1156 (2001); FERMILAB-Pub-00/210-E, hep-ex/0008065.
- “Ratios of Multijet Cross Sections in $p\bar{p}$ Collisions at $\sqrt(s)=1800$ GeV”, B. Abbott *et al.*, Phys. Rev. Lett. **86**, 1955 (2001); FERMILAB-Pub-00/218-E, hep-ex/0009012.
- “Measurement of the Angular Distribution of Electrons from $W \rightarrow e\nu$ Decays Observed in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. D **63**, 072001 (2001); FERMILAB-Pub-00/228-E, hep-ex/0009034.

- “Differential Cross Section for W Boson Production as a function of Transverse Momentum in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV”, B. Abbott *et al.*, Phys. Lett. B **513**, 292, (2001). FERMILAB-Pub-00/268-E, hep-ex/0010026.
- “Inclusive jet production in $p\bar{p}$ collisions”, B. Abbott *et al.*, Phys. Rev. Lett. **86**, 1707 (2001); FERMILAB-Pub-00/271-E, hep-ex/0011036.
- “A Quasi-Model-Independent Search for New High p_T Physics at DZero”, B. Abbott *et al.*, Phys. Rev. Lett. **86**, 3712 (2001); FERMILAB-Pub-00/304-E; hep-ex/0011071.
- “A Quasi-Model Independent Search for New Physics at Large Transverse Momentum”, V. M. Abazov *et al.*, Phys. Rev. D **64**, 012004 (2001); FERMILAB-Pub-00/302-E, hep-ex/0011067.
- “High- p_T Jets in $p\bar{p}$ Collisions at $\sqrt{s} = 630$ and 1800 GeV”, B. Abbott *et al.*, Phys. Rev. D **64**, 032003 (2001); FERMILAB-Pub-00/216-E, hep-ex/0012046.
- “Search for Heavy Particles Decaying into Electron-Positron Pairs in $p\bar{p}$ Collisions”, V. M. Abazov *et al.*, Phys. Rev. Lett. **87**, 061802 (2001); FERMILAB-Pub-01/024-E; hep-ex/0102048.
- “Search for First-Generation Scalar and Vector Leptoquarks”, V. M. Abazov *et al.*, Phys. Rev. D **64**, 092004 (2001); FERMILAB-Pub-01/057-E; hep-ex/0105072.
- “Search for New Physics Using QUAERO: A General Interface to DZero Data”, V. M. Abazov *et al.*, Phys. Rev. Lett. **87**, 012004 (2001); FERMILAB-Pub-01/105-E; hep-ex/0106039.
- “Search for Single Top Production at DZero Using Neural Networks”, V. M. Abazov *et al.*, Phys. Lett. B **517**, 282 (2001); FERMILAB-Pub-01/102-E; hep-ex/0106059.
- “Measurement of the ratio of differential cross sections for W and Z boson production as a function of transverse momentum”, V. M. Abazov *et al.*, Phys. Lett. B **517**, 299 (2001); FERMILAB-Pub-01/212-E, hep-ex/0107102.
- “The ratio of isolated photon cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 630$ and 1800 GeV”, V. M. Abazov *et al.*, Phys. Rev. Lett. **87**, 251805 (2001); FERMILAB-Pub-01/239-E, hep-ex/0106026.
- “Search for Electroweak Production of Single Top Quarks in pbarp Collisions”, B. Abbott *et al.*, Phys. Rev. D Rapid Comm. **63** 031101 (2001); FERMILAB-Pub-00/188-E, hep-ex/000824.
- “A Search for Dilepton Signatures from Minimal Low-energy Supergravity in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. D Rapid Comm. **63**, 091102 (2001); FERMILAB-Pub-00/042-E; hep-wx/9907048v2.
- “The $b\bar{b}$ production cross section and angular correlations in $\bar{p}p$ collisons at $\sqrt{s} = 1.8$ TeV”, B. Abbott *et al.*, Phys. Lett. B **487**, 264 (2000); FERMILAB-Pub-99/144-E; hep-ex/9905024.

- “Measurement of the inclusive differential cross section for Z bosons as a function of transverse momentum produced in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. D **61**, 032004 (2000); FERMILAB-Pub-99/197-E; hep-ex/9907009.
- “Small angle muon and bottom quark production in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. Lett. **84**, 5478 (2000); FERMILAB-Pub-99/202-E; hep-ex/9907029.
- “A measurement of the W boson mass using large rapidity electrons”, B. Abbott *et al.*, Phys. Rev. D **62** 092006, (2000); FERMILAB-Pub-99/237-E; hep-ex/9908057.
- “Differential production cross section of Z bosons as a function of transverse momentum at $\sqrt{s} = 1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. Lett. **84**, 2792 (2000); hep-ex/9909020.
- “A measurement of the W boson mass using electrons at large rapidities”, B. Abbott *et al.*, Phys. Rev. Lett. **84**, 222 (2000); FERMILAB-Pub-99/259-E; hep-ex/9909030.
- “Search for second generation leptoquarks in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. Lett. **84**, 2088 (2000); FERMILAB-Pub-99/314-E; hep-ex/9910040.
- “The isolated photon cross section in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. Lett. **84**, 2786 (2000); FERMILAB-Pub-99/354-E; hep-ex/9912017.
- “Probing BFKL Dynamics in Dijet Cross Section at Large Rapidity Intervals in $p\bar{p}$ Collisions at $\sqrt{s} = 1800$ and 630 GeV”, B. Abbott *et al.*, Phys. Rev. Lett. **84**, 5722 (2000); FERMILAB-Pub-99/363-E; hep-ex/9912032.
- “Limits on Anomalous $WW\gamma$ and WWZ Couplings from $WW/WZ \rightarrow e\nu jj$ Production”, B. Abbott *et al.*, Phys. Rev. D **62**, 052005 (2000); hep-ex/9912033.
- “A measurement of the $W \rightarrow \tau\nu$ Production Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. Lett. **84**, 5710 (2000); FERMILAB-Pub-99/373-E; hep-ex/9912065.
- “Limits on Quark Compositeness from High Energy Jets in $p\bar{p}$ Collisions at 1.8 TeV”, B. Abbott *et al.*, Phys. Rev. D Rapid Communication **62**, 031101 (2000); FERMILAB-Pub-99/357-E; hep-ex/9912023.
- “Spin Correlation in $t\bar{t}$ Production from $p\bar{p}$ Collisions at $\sqrt{s} = 1800$ GeV”, B. Abbott *et al.*, Phys. Rev. Lett. **85**, 256 (2000), FERMILAB-Pub-00/046-E, hep-ex/0002058.
- “Search for R-parity Violation in Multilepton Final States in pbarp Collisions at $\sqrt{s} = 1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. D Rapid Comm. **62**, 071701 (2000); FERMILAB-Pub-00/109-E, hep-ex/000534.
- “Search for New Physics in $e\mu X$ Data at DØ Using Sleuth: A Quasi-Model-Independent Search Strategy for New Physics”, B. Abbott *et al.*, Phys. Rev. D **62**, 92004 (2000); FERMILAB-Pub-00/126-E, hep-ex/0006011.

- “Cross Section for b jet production in pbarp collisions at $\sqrt{s} = 1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. Lett. **85**, 5068 (2000); FERMILAB-Pub-00/197-E, hep-ex/0008021.
- “The Dijet Mass Spectrum and a Search for Quark Compositeness in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. Lett. **82**, 2457 1999; FERMILAB-Pub-98/220-E; hep-ex/9807014.
- “Small Angle J/Psi Production in $\bar{p}p$ Collisions at $\sqrt{s}=1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. Lett. **82**, 35 (1999); FERMILAB-Pub-98/237-E; hep-ex/9807029.
- “Measurement of the Top Quark Mass in the Dilepton Channel”, B. Abbott *et al.*, Phys. Rev. D **60**, 052001 (1999); FERMILAB-Pub-98/261-E; hep-ex/9808029.
- “Search for Squarks and Gluinos in Single-Photon Events with Jets and Large Missing Transverse Energy in $\bar{p}p$ Collision at $\sqrt{s}=1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. Lett. **82**, 29 (1999); FERMILAB-Pub-98/243-E; hep-ex/9808010.
- “Measurement of the Top Quark Pair Production Cross Section in $\bar{p}p$ Collisions using Multijet Final States”, B. Abbott *et al.*, Phys. Rev. D **60**, 012001 (1999); FERMILAB-Pub-98/130-E; hep-ex/9808034.
- “Search for nonstandard Higgs bosons using high mass photon pairs in $\bar{p}p \rightarrow \gamma\gamma + 2$ jets at $\sqrt{s} = 1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. Lett. **82**, 2244 (1999); FERMILAB-Pub-98/362-E; hep-ex/9811029.
- “Measurement of high-mass Drell-Yan cross section and limits on quark-electron compositeness scales”, B. Abbott *et al.*, Phys. Rev. Lett. **82**, 4769 (1999); FERMILAB-Pub-98/391-E; hep-ex/9812010.
- “Measurement of W and Z boson production cross sections (Run 1a), B. Abbott *et al.*, Phys. Rev. D **60**, 052003 (1999); FERMILAB-Pub-99/015-E; hep-ex/9901040.
- “Search for charged Higgs bosons in decays of top quark pairs”, B. Abbott *et al.*, Phys. Rev. Lett. **82**, 4975 (1999); FERMILAB-Pub-99/029-E; hep-ex/9902028.
- “Search for bottom squarks in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. D **60** Rapid Communications, 031101 (1999); FERMILAB-Pub-99/046-E; hep-ex/99030041.
- “Measurement of the top quark pair production cross section in the all-jets decay channel”, B. Abbott *et al.*, Phys. Rev. Lett. **83**, 1908 (1999); FERMILAB-Pub-99/008-E; hep-ex/9901023.
- “Search for squarks and gluinos in events containing jets and a large imbalance in transverse momentum”, B. Abbott *et al.*, Phys. Rev. Lett. **83**, 4937 (1999); FERMILAB-Pub-98/402-E; hep-ex/9902013.

- “Studies of WW and WZ production and limits on anomalous $WW\gamma$ and WWZ couplings”, B. Abbott *et al.*, Phys. Rev. D **60**, 072002 (1999); FERMILAB-Pub-99/139-E; hep-ex/9905005.
- “Evidence of color coherence effects in W +jets events from $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV”, B. Abbott *et al.*, Phys. Lett. B **464**, 145 (1999); FERMILAB-Pub-99/224-E; hep-ex/9908017.
- “Search for second generation leptoquark pairs decaying into $\mu\nu + \text{jets}$ in $\bar{p}p$ collisions at $\sqrt{s} = 1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. Lett. **83**, 2896 (1999); FERMILAB-Pub-99/123-E; hep-ex/9904023.
- “Search for R-parity violation supersymmetry in the dielectron channel”, B. Abbott *et al.*, Phys. Rev. Lett. **83**, 4476 (1999); FERMILAB-Pub-99/200-E; hep-ex/9907019.
- “Search for First Generation Scalar Leptoquark Pairs in $\bar{p}p$ Collisions at $\sqrt{s} = 1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. Lett. **80**, 2051 (1998); FERMILAB-Pub-97/344-E; hep-ex/9710032.
- “A Measurement of the W Boson Mass at the FERMILAB $p\bar{p}$ Collider .”, B. Abbott *et al.*, Phys. Rev. Lett. **80**, 3008 (1998); FERMILAB-Pub-97/423-E; hep-ex/9712028.
- “A measurement of the W boson mass”, B. Abbott *et al.*, Phys. Rev. D **58**, 092003 (1998); FERMILAB-Pub-97/422-E; hep-ex/9712029.
- “Direct measurement of the top quark mass by the DØ Collaboration”, B. Abbott *et al.*, Phys. Rev. D **58**, 052001 (1998); FERMILAB-Pub-98/031-E; hep-ex/9801025.
- “Search for the decay $b \rightarrow X_s \mu^+ \mu^-$ ”, B. Abbott *et al.*, Phys. Lett. B **423**, 419, 1998; FERMILAB-Pub-98/033-E; hep-ex/9801027.
- “Measurement of the Shape of the Transverse Momentum Distribution of W Bosons Produced in $\bar{p}p$ Collisions at $\sqrt{s}= 1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. Lett. **80**, 5498 (1998); FERMILAB-Pub-98/075-E; hep-ex/9803003.
- “Limits on $WW\gamma$ and WWZ couplings from W boson pair production”, B. Abbott *et al.*, Phys. Rev. D **58** Rapid Communications, 051101 (1998), FERMILAB-Pub-98/076-E; hep-ex/9803004.
- “Search for Charge-1/3 Third Generation Leptoquarks in $\bar{p}p$ Collisions at $\sqrt{s}= 1.8$ TeV”, B. Abbott *et al.*, Phys. Rev. Lett. **81**, 38 (1998); FERMILAB-Pub-98/081-E; hep-ex/9803009.
- “Limits on anomalous $WW\gamma$ and WWZ couplings”, B. Abbott *et al.*, Phys. Rev. D **58** Rapid Communications, 031102 (1998); FERMILAB-Pub-98/094-E; hep-ex/9803017.
- “Search for Heavy Pointlike Dirac Monopoles”, B. Abbott *et al.*, Phys. Rev. Lett. **81**, 524 (1998); FERMILAB-Pub-98/095-E; hep-ex/9803023.

Non-Refereed Publications:

- “Fermilab Booster Orbit Correction.”, (L. Coney, J. Monroe, W. Pellico, and E. Prebys), in *Proceedings of the 2003 Particle Accelerator Conference* ed. J. Chew, P. Lucas, and S. Webber.
- “Young Physicists’ Forum.”, (T. Adams *et al.*), in *Proceedings of the APS/DPF/DPB Summer Study on the Future of Particle Physics (Snowmass 2001)* ed. R. Davidson and C. Quigg, eprint Archive: hep-ph/0110027.